

CYCLONE-L

The Cyclone-L is a reliable outdoor half-height turnstile designed for controlled access in various environments. It features sturdy metal wings, available in both straight and U-shaped rotor designs. With an servo-driven (Triservo-M) drive by, it ensures smooth and controlled operation. Designed for outdoor conditions, it offers different metal finishing options for enhanced durability and aesthetics.

HALF-HEIGHT TURNSTILE



MOST FAVORABLE SOLUTION FOR RECREATION

AREAS AND AMUSEMENT PARKS

 **533**
mm
PASSAGE
WIDTH

 **20**
pers/min
SINGLE ACCESS
FLOW RATE

 **60**
pers/min
FREE ACCESS
FLOW RATE

 **IP 41-65***
PROTECTIVE LEVEL

 **MOTORIZED**

 **BI-DIRECTIONAL**

 **ACCESS CONTROL
SYSTEM**

 **MANUAL
CONTROL**

Key features:

- Can operate outdoor and indoor that allows to use it without any restrictions in any season and weather conditions
- Wide range of available material and coating, modification, type of rotor assembly
- Whisper quiet, low noise operation
- Successful combination of affordable price and high quality
- Possibility of a barrier gate customization
- Can be integrated with any type of access control systems
- Low power consumption
- Wired remote control panel is in standard kit
- In case of power failure, free rotation (fail-safe)
- Steadfast housing suitable for high traffic areas
- Wide choice of accessories

*option



www.tiso.global
+380 (44) 291-21-11
sales@tiso.global



Technical Specifications:


Width, mm	1430
Length, mm	1168
Height, mm	1314
Passage width, mm	533
Mechanism	Servo-driven (Triservo-M)
Blocking system	Two electromagnetic stoppers
Emergency mode	Free pass in both directions
Power fail	Fail-safe (rotor is unlocked- standard)
MCBF, cycles	5 000 000
MTTR, min	< 25

Electrical Specifications:

Maximum power consumption, W	55
Voltage	From the AC (100-240)V, 50/60Hz; from a DC source 12 V

Finishing

Standard housing	Brushed SS AISI 304
Available housing	Brushed SS AISI 316; Polished SS AISI 304; Polished SS AISI 316; Powder coated RAL



Specifications are subject to change without prior notice.

